

1. (Amended) A communication terminal having a first radio unit configured to make radio communication with a base station, which is connected to a calling party, over a first radio channel having a first radio frequency band, and a second radio unit configured to make radio communication with another communication terminal by using a second radio channel having a second radio frequency band, the communication terminal comprising:

a first channel establishing section configured to establish the first radio channel to the base station through the first radio unit;

a second channel establishing section configured to establish the second radio channel to the another communication terminal through the second radio unit; and

a control section configured to connect the first radio channel established by the first channel establishing section to the another communication terminal via the second radio channel established by the second channel establishing section, such that a communication channel between the calling party and the another communication terminal can be established via the second radio unit.

FINNEGAN  
ENDERSON  
FARABOW  
GARRETT &  
DUNNER LLP

1300 I Street, NW  
Washington, DC 20005  
202.408.4000  
Fax 202.408.4400  
www.finnegan.com

3. (Amended) A communication terminal according to claim 1, further comprising a telephone number obtaining section configured to receive a telephone number of the calling party connected to the base station when the first radio channel to the base station is connected by the first channel establishing section, wherein the control section transfers the obtained telephone number to the another communication terminal through the second radio channel, such that the another communication terminal can make a second call through the base station to the calling party in accordance with the telephone number.

A2  
Sub  
B1

FINNEGAN  
HENDERSON  
FARABOW  
GARRETT &  
DUNNER LLP

1300 I Street, NW  
Washington, DC 20005  
202.408.4000  
Fax 202.408.4400  
www.finnegan.com

6. (Amended) A channel connection method for a communication terminal having a first radio unit configured to make radio communication with a base station, which is connected to a calling party, over a first radio channel having a first radio frequency band, and a second radio unit configured to make radio communication with another communication terminal by using a second radio channel having a second radio frequency band, the method comprising steps of:

establishing the first radio channel to the base station through the first radio unit;

establishing the second radio channel to the another communication terminal through the second radio unit; and

connecting the first radio channel established through the first radio unit to the another communication terminal via the second radio channel established through the second radio unit, such that a communication channel between the calling party and the another communication terminal can be established via the second radio unit.

FINNEGAN  
ENDERSON  
FARABOW  
GARRETT &  
DUNNER LLP

1300 I Street, NW  
Washington, DC 20005  
202.408.4000  
Fax 202.408.4400  
www.finnegan.com

A4  
Sub B1

9. (Amended) A channel connection method according to claim 7, further comprising steps of:

receiving a telephone number of a calling party connected to the base station when the radio channel to the base station is connected by the first radio unit;

transferring the telephone number of the calling party to the master device connected to the public network over the wired channel, through the second radio unit; and

making a second call to the calling party from the master device to connect a radio channel in accordance with the telephone number.

Sub B1  
A5

11. (Amended) A communication terminal having a radio section comprising:  
a radio channel establishing section configured to establish a radio channel to a radio communication device connected to a base station;

a receiving section configured to receive a telephone number over the radio channel;

a ceasing section configured to cease the established radio channel; and

an originating section configured to originate a call to a party with the received telephone number.

FINNEGAN  
HENDERSON  
FARABOW  
GARRETT &  
DUNNER LLP

1300 I Street, NW  
Washington, DC 20005  
202.408.4000  
Fax 202.408.4400  
www.finnegan.com

AS  
Sub  
B1

12. (Amended) A communication terminal having a first radio unit configured to make radio communication with a base station over a first radio channel having a first radio frequency band, and a second radio unit configured to make radio communication with another communication terminal by using a second radio channel having a second radio frequency band, the communication terminal comprising:

a receiving section configured to receive information from the base station over the first radio channel; and

a sending section configured to send the received information to the another communication terminal over the second radio channel while the receiving section receives the information over the first radio channel.

Sub  
B1

14. (Amended) A communication terminal according to claim 12, further comprising a telephone number obtaining section configured to receive a telephone number of a calling party connected to the base station when the radio channel to the base station is connected by the first channel establishing section, wherein

the control section transfers the obtained telephone number to the another communication terminal through the second radio channel, such that the another communication terminal can make a second call through the base station to the calling party in accordance with the telephone number.

FINNEGAN  
ENDERSON  
FARABOW  
GARRETT &  
DUNNER LLP

1300 I Street, NW  
Washington, DC 20005  
202.408.4000  
Fax 202.408.4400  
www.finnegan.com